

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
William A. Hinton State Laboratory Institute
305 South Street, Jamaica Plain, MA 02130

DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LIEUTENANT GOVERNOR

JUDYANN BIGBY, MD
SECRETARY

JOHN AUERBACH
COMMISSIONER

01/26/2012

Michael McGee
Assistant District Attorney, Norfolk County

Dear ADA McGee,

Enclosed is the information you requested in regards to Commonwealth vs. [REDACTED] Included are copies of the following:

1. Curriculum Vitae for Annie Dookhan and Della Saunders.
2. Drug Analysis Laboratory Receipt.
3. Control Cards with analytical results for samples # [REDACTED]
4. Analysis sheets with custodial chemist's hand notations and test results.
5. GC/Mass Spectral analytical data for samples # [REDACTED]

Annie Dookhan was the custodial chemist and performed the preliminary testing and net weight for this sample. Della Saunders analyzed the GC/MS data for this sample.

If you have any questions about these materials, please call me at the number below.

Sincerely,

A handwritten signature in black ink, appearing to read "Annie Dookhan", with a horizontal line extending to the right.

Annie Dookhan
Chemist
Drug Analysis Lab
Jamaica Plain, MA. 02130
(617) 983-6622

Curriculum Vitae

Annie Khan (Dookhan)

Education:

University of Massachusetts, Boston, Ma, Master of Science in Chemistry

University of Massachusetts, Boston, Ma, Bachelor of Science

Major: Biochemistry

Minor: Economics

Experience:

2003 – present

Chemist I, II, Massachusetts Department of Public Health, Drug Analysis Laboratory

*Responsible for the identification of illicit drugs to determine violations of harmful and narcotic drug laws.

*Writing of the Standard Operating Procedures (SOPs) and Protocols.

*Responsible for the Quality Control and Quality Assurance of analytical instruments, reagents and controls/standards.

*Maintenance and repairs of analytical instruments.

*Trained in the use of complex analytical instrumentation, microscopes and balances for the purpose of drug analysis.

*Qualified as an expert witness in Massachusetts Courts and U.S. District Court.

*Completed six-week training course conducted by senior staff within the Department of Public Health, Drug Analysis Laboratory.

*Appointed Assistant Analyst by Assistant Commissioner of Public Health.

*Notary Public.

2001 – 2003

QC Analyst I, II, UMMS-Massachusetts Biologic Laboratory, QC Material Control

*Completed proficiency training conducted by a member of the staff within the MBL Quality Control and Quality Assurance Department for the Food and Drug Administration.

*Method Development for creating new techniques for the QC Dept. and FDA.

*Writing, revising and reviewing the Standard Operating Procedures (SOPs).

*Trained and supervised new chemists and interns for the department.

*Routine QC testing of products for the FDA.

*Trained in the use of complex analytical instrumentation, and balances for the purpose of QC analysis for product and validation projects.

*Calibration, preventive maintenance, QC and QA of analytical instrumentation.

*Complete testing of chemicals for Vendor Validation Project for the FDA.

*Compendial testing and interpretation of the USP, ACS, FCC, AOAC, Merck Index, PDR, etc.

Additional Courses:

Department of Justice – Forensics Professionals

Introduction to Forensic Drug Chemistry

Chemical Spot Test and Mechanism for Illicit Drugs

Forensic Mass Spectrometry

Forensic Science 101: An Introduction

Fundamentals of Forensic Questioned Documents

Perspectives in Expert Testimony

Evidence Analysis

Ethics in Forensic Science

Transition to Leadership

Fundamentals of Forensic Toxicology

Additional Trainings:

Good Laboratory Practice/Good Manufacturing Practice (GLP/GMP) training with Massachusetts Biologic Laboratory.

Quality Control/Quality Assurance (QC/QA) training according to FDA Codes and Regulations.

Gas Chromatography (GC) and Gas Chromatography/Mass Spectrometry (GC/MS) trainings with Agilent Technologies and Restek.

High Power Liquid Chromatography (HPLC) and HPLC/MS/MS trainings with Waters Cooperation.

Fourier Transform Infrared Spectroscopy (FTIR) training with Spectros and Spectrum One.

Ultraviolet-Visible Spectroscopy (UV-Vis) training with Agilent Technologies and Beckman.

Total Organic Carbon Analyzer (TOC) training with MBL and Sievers.

Associations:

American Chemical Society (ACS)

Northeastern Association of Forensics Science (NEAFS)

Curriculum Vitae

Della Saunders

Education:

Boston University Boston, MA. Bachelors of Arts in Chemistry 1982

Experience:

1985-present: Currently Chemist III Massachusetts Department of Public Health Drug Analysis Laboratory at State Laboratory Institute Boston, MA. Responsible for analyzing unknown substances submitted by Massachusetts law enforcement agencies; operating, maintaining, and interpreting data from analytical equipment (analytical balance, microscope, gas chromatogram, ultraviolet spectrometer, infrared spectrometer, gas chromatogram/mass spectrometer); training junior level chemists; providing expert testimony to local, state, and federal courts in the Commonwealth of Massachusetts.

1984-1985: Laboratory Technician in the Media Laboratory at State Laboratory Institute Boston, MA. Responsible for making chemical reagents and media plates; operating and maintaining laboratory equipment (autoclave, pH meter, ultra-violet hood), and collecting safety data for laboratory protocols.

Training:

1985: Six week training with Senior Staff at Massachusetts Department of Public Health (MDPH) Drug Analysis Laboratory Boston, MA. Appointed Assistant Analyst MDPH

1987: One week training course in drug analysis given by the Federal Drug Enforcement Agency (DEA) McLean, VA.

1992: Training in Gas Chromatograph/Mass Spectroscopy (GC/MS) Hewlett Packard (Agilent)

1996: Training in Fourier Transform Infra-Red Spectroscopy ETA (Analect)

2001: Expert Witness Workshop National Laboratory Training network Quality Assurance/Quality Control Training (MDPH)

2002: Techniques of Supervision Training (MDPH)

1999: Notary Public Commonwealth of Massachusetts

PLEASE PRINT CLEARLY OR TYPE ALL INFORMATION

The Commonwealth of Massachusetts

Executive Office of Health and Human Services

Department of Public Health

State Laboratory Institute

Boston Drug Laboratory

Tel (617) 983-6622

Fax (617) 983-6625

Boston Hours

8:00 – 11:00

2:00 – 4:00

Amherst Drug Laboratory

Tel (413) 545-2601


Fax (413) 545-2608

Amherst Hours

9:00 – 12:00

1:00 – 3:00

DRUG RECEIPT

City or Department: Weymouth Police Reference No.: 


Name and Rank of Submitting Officer: Det Thomas Andrews

Defendant(s) Name (last, first, initial):



To be completed by Submitter
Description of Items Submitted

To be completed by Lab Personnel
Gross Weight Lab Number

12 white pills marked 54/142 11-699-PR2	5.39g	

Received by:  Date: 5-9-11

No. [REDACTED] Date Analyzed: JUN 24 2011
City: Weymouth Police Dept
Officer: Detective THOMAS ANDERSON

Def: [REDACTED]
Amount: [REDACTED] TAB
No. Cont: 1 Cont: pb

Date Rec'd: 05/09/2011 No. Analyzed:

Gross Wt: 5.390 Net Wt: 7

#Tests: 1 ASD + 2 JF

Prelim: methadone Findings: Methadone
B

DRUG POWDER ANALYSIS FORM

SAMPLE # [REDACTED] AGENCY Weymouth. ANALYST ASN

No. of samples tested:

Evidence Wt.

PHYSICAL DESCRIPTION:


12 white round tablet
17-pb

Gross Wt ():

Gross Wt ():

Pkg. Wt:

Net Wt: 2.4554



PRELIMINARY TESTS

Spot Tests

Cobalt
Thiocyanate ()

Marquis

Froehde's

Mecke's

Microcrystalline Tests

Gold
Chloride

TLTA ()

OTHER TESTS

Monomer AP

PRELIMINARY TEST RESULTS

RESULTS metoprolol

DATE 6-21-11

GC/MS CONFIRMATORY TEST

RESULTS metoprolol

MS
OPERATOR bcs

DATE 6-24-11

Drug Information

DRUG NAME: METHADONE HYDROCHLORIDE

INGREDIENTS: METHADONE HYDROCHLORIDE -- 10 MG

Color: white

Imprint: 54; 142

Form: Tablet

Available-Container-Size: unit dose
package of 100 , Bottle of 100

AAPCC Code: 037703 - Methadone

NDC: 00054-8554-24
00054-4571-25

Regulatory Status: Schedule II

Availability: United States

Product ID 3285503


Contact: Roxane Laboratories

Copyright © 1974-2012 Thomson Reuters. All rights reserved.

Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793463.D
Operator : DCS
Date Acquired : 24 Jun 2011 7:32
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------


NO INTEGRATED PEAKS

1/26/12 JLF

Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793464.D
Operator : DCS
Date Acquired : 24 Jun 2011 7:45
Sample Name : METHADONE STANDARD
Submitted by :
Vial Number : 64
AcquisitionMeth: DRUGS
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.390	2031984	100.00	100.00

Area Percent / Library Search Report

Information from Data File:



```

File Name       : G:\06_23_11\793464.D
Operator        : DCS
Date Acquired   : 24 Jun 2011   7:45
Sample Name     : METHADONE STANDARD
Submitted by    :
Vial Number     : 64
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```


PK#	RT	Library/ID	CAS#	Qual
1	4.39	C:\DATABASE\SLI.L METHADONE	001095-90-5	96



Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793465.D
Operator : DCS
Date Acquired : 24 Jun 2011 7:59
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793466.D
Operator : DCS
Date Acquired : 24 Jun 2011 8:12
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793467.D
Operator : DCS
Date Acquired : 24 Jun 2011 8:26
Sample Name : BLANK
Submitted by : ASD
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793468.D
Operator : DCS
Date Acquired : 24 Jun 2011 8:39
Sample Name : XXXXXXXXXX
Submitted by : ASD
Vial Number : 68
AcquisitionMeth: DRUGS
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.383	790487	100.00	100.00

Area Percent / Library Search Report

Information from Data File:



```

File Name       : G:\06_23_11\793468.D
Operator        : DCS
Date Acquired   : 24 Jun 2011   8:39
Sample Name     : ██████████
Submitted by    : ASD
Vial Number     : 68
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```


PK#	RT	Library/ID	CAS#	Qual
1	4.38	C:\DATABASE\SLI.L METHADONE	001095-90-5	96



Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793469.D
Operator : DCS
Date Acquired : 24 Jun 2011 8:53
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793470.D
Operator : DCS
Date Acquired : 24 Jun 2011 9:06
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793471.D
Operator : DCS
Date Acquired : 24 Jun 2011 9:20
Sample Name : BLANK
Submitted by :
Vial Number : 2
AcquisitionMeth: DRUGS
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Area Percent / Library Search Report

Information from Data File:

File Name : G:\06_23_11\793472.D
 Operator : DCS
 Date Acquired : 24 Jun 2011 9:33
 Sample Name : METHADONE STANDARD
 Submitted by :
 Vial Number : 64
 AcquisitionMeth: DRUGS
 Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.387	1960169	100.00	100.00

Area Percent / Library Search Report

Information from Data File:

```

File Name       : G:\06_23_11\793472.D
Operator        : DCS
Date Acquired   : 24 Jun 2011   9:33
Sample Name     : METHADONE STANDARD
Submitted by    :
Vial Number     : 64
AcquisitionMeth : DRUGS
Integrator      : RTE
  
```

```

Search Libraries: C:\DATABASE\SLI.L           Minimum Quality: 90
                  C:\DATABASE\PMW_TOX2.L      Minimum Quality: 90
                  C:\DATABASE\NIST98.L
  
```

PK#	RT	Library/ID	CAS#	Qual
1	4.39	C:\DATABASE\SLI.L METHADONE	001095-90-5	97

